

CERTIFIKAT

CERTIFICATE



**GODKENDT
TIL DRIKKEVAND**

Dette certifikat er udstedt i henhold til bekendtgørelse nr. 1007 af 29. juni 2016 om markedsføring og salg af byggevarer i kontakt med drikkevand. Certifikatet giver godkendelsesindehaveren rettighed til at markedsføre og sælge nedenstående byggevarer i Danmark og til at mærke byggevareren med "Godkendt til drikkevand"-mærkningen.

This certificate is issued according to Executive Order no. 1007 of 29 June 2016 on the placement on the market and sale of building components that come into contact with drinking water. The certificate gives the approval holder the rights to market and sell the following building component in Denmark and to mark the building component with the "Godkendt til drikkevand" marking.

GODKENDELSE NR. / APPROVAL NO.:

01/00032

UDSTEDT / DATE OF ISSUE:

13-05-2025

UDLØBER / EXPIRY DATE:

12-05-2030

GODKENDELSESINDEHAVER / APPROVAL HOLDER:

**PLAFONDPLAST SRL
VAT.: 01668640343
STRADA PADANA N.6
43010 ROCCABIANCA
Italy**

BYGGEVARE / BUILDING COMPONENT:

**Wells pipes, Excalibur Rising pipes and Plafondpress
Pressure pipe**



BETINGELSER FOR GODKENDELSE:

De nærmere betingelser og vilkår for godkendelsen er fastsat i bekendtgørelse nr. 1007 af 29. juni 2016 om markedsføring og salg af byggevarer i kontakt med drikkevand. Endvidere henvises til godkendelsesbrev af 13-05-2025 om godkendelse af ovennævnte byggevarer i kontakt med drikkevand og eventuelle senere ændringer til godkendelsesbrevet fremsendt til godkendelsesindehaver. Markedsføring og salg af byggevareren efter nærværende godkendelse omfatter de versioner af byggevareren, der er opført i bilaget, og den variantproduktion, der er angivet i bilaget.

CONDITIONS OF APPROVAL:

The detailed terms and conditions of approval are laid down in Executive Order no. 1007 of 29 June 2016 on the placement on the market and sale of building components in contact with drinking water. See also the approval letter of 13-05-2025 on the approval of the above-mentioned building component in contact with drinking water, and any subsequent amendments to the approval letter submitted to the approval holder. Marketing and sale of the building component under this approval include the versions of the building component listed in the Annex and the "on-demand" production specified in the Annex.

CERTIFIKATET ER UDSTEDT AF:

THE CERTIFICATE IS ISSUED BY:

København, den 13-05-2025

Social- og Boligstyrelsen

Danish Authority of Social Services and Housing

Holmens kanal 22,

1060 København K

Mail: GDV@sbst.dk

Web: www.sbst.dk

BILAG / ANNEX

GODKENDELSE NR. / APPROVAL NO.:

01/00032

VERSIONER AF BYGGEVAREN OMFATTET AF GODKENDELSEN: VERSIONS OF THE BUILDING COMPONENT COVERED BY THE APPROVAL:

OVERORDNEDE INFORMATIONER OM BYGGEVAREN

GENERAL INFORMATION ABOUT THE BUILDING COMPONENT

BYGGEVAREN:

BUILDING COMPONENT:

Wells pipes, Excalibur Rising pipes and Plafondpress Pressure pipe

VERSIONER

VERSIONS

Item text	Dimension: Diameter mm	Dimension: Diameter In- ches
Wells pipe - TRAPEZOID MALE-FEMALE THREADING	114	4"
Wells pipe - TRAPEZOID MALE-FEMALE THREADING	114	4"
Wells pipe - TRAPEZOID MALE-FEMALE THREADING	118	
Wells pipe - TRAPEZOID MALE-FEMALE THREADING	125	4" 1/2
Wells pipe - TRAPEZOID MALE-FEMALE THREADING	125	4" 1/2
Wells pipe - TRAPEZOID MALE-FEMALE THREADING	140	5"
Wells pipe - TRAPEZOID MALE-FEMALE THREADING	140	5"
Wells pipe - TRAPEZOID MALE-FEMALE THREADING	140	5"
Wells pipe - TRAPEZOID MALE-FEMALE THREADING	145	
Wells pipe - TRAPEZOID MALE-FEMALE THREADING	160	6"
Wells pipe - TRAPEZOID MALE-FEMALE THREADING	160	6"
Wells pipe - TRAPEZOID MALE-FEMALE THREADING	160	6"

Wells pipe - TRAPEZOID MALE-FEMALE THREADING	165	
Wells pipe - TRAPEZOID MALE-FEMALE THREADING	165	
Wells pipe - TRAPEZOID MALE-FEMALE THREADING	170	
Wells pipe - TRAPEZOID MALE-FEMALE THREADING	180	6"1/2
Wells pipe - TRAPEZOID MALE-FEMALE THREADING	180	6"1/2
Wells pipe - TRAPEZOID MALE-FEMALE THREADING	180	6"1/2
Wells pipe - TRAPEZOID MALE-FEMALE THREADING	200	7"
Wells pipe - TRAPEZOID MALE-FEMALE THREADING	200	7"
Wells pipe - TRAPEZOID MALE-FEMALE THREADING	200	7"
Wells pipe - TRAPEZOID MALE-FEMALE THREADING	225	8"
Wells pipe - TRAPEZOID MALE-FEMALE THREADING	225	8"
Wells pipe - TRAPEZOID MALE-FEMALE THREADING	225	8"
Wells pipe - TRAPEZOID MALE-FEMALE THREADING	250	9"
Wells pipe - TRAPEZOID MALE-FEMALE THREADING	250	9"
Wells pipe - TRAPEZOID MALE-FEMALE THREADING	250	9"
Wells pipe - TRAPEZOID MALE-FEMALE THREADING	280	12"
Wells pipe - TRAPEZOID MALE-FEMALE THREADING	280	12"
Wells pipe - TRAPEZOID MALE-FEMALE THREADING	280	12"
Wells pipe - TRAPEZOID MALE-FEMALE THREADING	330	14"
Wells pipe - TRAPEZOID MALE-FEMALE THREADING	330	14"
Wells pipe - TRAPEZOID MALE-FEMALE THREADING	330	14"
Wells pipe - TRAPEZOID MALE-FEMALE THREADING	400	16"
Wells pipe - TRAPEZOID MALE-FEMALE THREADING	400	16"
Wells pipe - TRAPEZOID MALE-FEMALE THREADING	400	16"

Item text	Dimension: Diameter mm
WELLS PIPES WITH SPIGOT JOINT	125
WELLS PIPES WITH SPIGOT JOINT	125
WELLS PIPES WITH SPIGOT JOINT	140
WELLS PIPES WITH SPIGOT JOINT	140
WELLS PIPES WITH SPIGOT JOINT	140
WELLS PIPES WITH SPIGOT JOINT	140

WELLS PIPES WITH SPIGOT JOINT	160
WELLS PIPES WITH SPIGOT JOINT	160
WELLS PIPES WITH SPIGOT JOINT	160
WELLS PIPES WITH SPIGOT JOINT	160
WELLS PIPES WITH SPIGOT JOINT	180
WELLS PIPES WITH SPIGOT JOINT	180
WELLS PIPES WITH SPIGOT JOINT	180
WELLS PIPES WITH SPIGOT JOINT	180
WELLS PIPES WITH SPIGOT JOINT	200
WELLS PIPES WITH SPIGOT JOINT	200
WELLS PIPES WITH SPIGOT JOINT	200
WELLS PIPES WITH SPIGOT JOINT	200
WELLS PIPES WITH SPIGOT JOINT	225
WELLS PIPES WITH SPIGOT JOINT	250
WELLS PIPES WITH SPIGOT JOINT	250
WELLS PIPES WITH SPIGOT JOINT	250
WELLS PIPES WITH SPIGOT JOINT	250
WELLS PIPES WITH SPIGOT JOINT	315
WELLS PIPES WITH SPIGOT JOINT	315
WELLS PIPES WITH SPIGOT JOINT	315
WELLS PIPES WITH SPIGOT JOINT	400

Item text	Dimension: Diameter mm	Dimension: Diameter Inches	Thread type
WELLS PIPES - THREADED	1/2"	21	M.M. Gas
WELLS PIPES - THREADED	3/4"	26	M.M. Gas
WELLS PIPES - THREADED	1"	34	M.M. Gas
WELLS PIPES - THREADED	1 "1/4	42	M.M. Gas
WELLS PIPES - THREADED	1"1/2	48	IVI.M. Trap. - M.F. Gas
WELLS PIPES - THREADED	1"1/2	48	M.M. Trap. - M.F. Gas
WELLS PIPES - THREADED	2"	60	M M. Gas - M.F. Trap. S.S.
WELLS PIPES - THREADED	2"	60	M M. Gas - M.F. Trap. S.S.
WELLS PIPES - THREADED	2"1/2	75	M M. Gas - M.F. Trap
WELLS PIPES - THREADED	2"1/2	75	M M. Gas - M.F. Trap
WELLS PIPES - THREADED	3"	88	M M. Gas - M.F. Trap
WELLS PIPES - THREADED	3"	88	M M. Gas - M.F. Trap
WELLS PIPES - THREADED	3"	90	M.E Trap - sullo spessore
WELLS PIPES - THREADED	4"	114	M.F. Trap
WELLS PIPES - THREADED	4"	114	M.F. Trap

Item text	Dimension: Diameter mm
PLAFONDPRESS PRESSURE PIPE	16
PLAFONDPRESS PRESSURE PIPE	20
PLAFONDPRESS PRESSURE PIPE	25
PLAFONDPRESS PRESSURE PIPE	32
PLAFONDPRESS PRESSURE PIPE	40
PLAFONDPRESS PRESSURE PIPE	50
PLAFONDPRESS PRESSURE PIPE	63
PLAFONDPRESS PRESSURE PIPE	75
PLAFONDPRESS PRESSURE PIPE	90
PLAFONDPRESS PRESSURE PIPE	110
PLAFONDPRESS PRESSURE PIPE	125
PLAFONDPRESS PRESSURE PIPE	140
PLAFONDPRESS PRESSURE PIPE	160

PLAFONDPRESS PRESSURE PIPE	180
PLAFONDPRESS PRESSURE PIPE	200
PLAFONDPRESS PRESSURE PIPE	225
PLAFONDPRESS PRESSURE PIPE	250
PLAFONDPRESS PRESSURE PIPE	280
PLAFONDPRESS PRESSURE PIPE	315
PLAFONDPRESS PRESSURE PIPE	355
PLAFONDPRESS PRESSURE PIPE	400
PLAFONDPRESS PRESSURE PIPE	500
PLAFONDPRESS PRESSURE PIPE	630

Item text	Dimension: Diameter mm	Code Type
EXCALIBUR RISING PIPES	48	R 20
EXCALIBUR RISING PIPES	60	R 20
EXCALIBUR RISING PIPES	75	R 20
EXCALIBUR RISING PIPES	90	R 20
EXCALIBUR RISING PIPES	114	R 20
EXCALIBUR RISING PIPES	140	R 20