

CERTIFIKAT

CERTIFICATE



**GODKENDT
TIL DRIKKEVAND**



Dette certifikat er udstedt i henhold til bekendtgørelse nr. 1007 af 29. juni 2016 om markedsføring og salg af byggevarer i kontakt med drikkevand. Certifikatet giver godkendelsesindehaveren rettighed til at markedsføre og sælge nedenstående byggevarer i Danmark og til at mærke byggevareren med "Godkendt til drikkevand"-mærkningen.

This certificate is issued according to Executive Order no. 1007 of 29 June 2016 on the placement on the market and sale of building components that come into contact with drinking water. The certificate gives the approval holder the rights to market and sell the following building component in Denmark and to mark the building component with the "Godkendt til drikkevand" marking.

GODKENDELSE NR. / APPROVAL NO.:

03/00169

UDSTEDT / DATE OF ISSUE:

28-08-2019

UDLØBER / EXPIRY DATE:

27-08-2024

GODKENDELSESINDEHAVER / APPROVAL HOLDER:

**CVR 21829641
Golan Pipe Systems ApS
Lollandsvej 14
5500 Middelfart
DK, Danmark**

BYGGEVARE / BUILDING COMPONENT:

GPS Compression 08 77xx xxxK



BETINGELSER FOR GODKENDELSE:

De nærmere betingelser og vilkår for godkendelsen er fastsat i bekendtgørelse nr. 1007 af 29. juni 2016 om markedsføring og salg af byggevarer i kontakt med drikkevand. Endvidere henvises til godkendelsesbrev af 28-08-2019 om godkendelse af ovennævnte byggevarer i kontakt med drikkevand og eventuelle senere ændringer til godkendelsesbrevet fremsendt til godkendelsesindehaver. Markedsføring og salg af byggevareren efter nærværende godkendelse omfatter de versioner af byggevareren, der er opført i bilaget, og den variantproduktion, der er angivet i bilaget.

CONDITIONS OF APPROVAL:

The detailed terms and conditions of approval are laid down in Executive Order no. 1007 of 29 June 2016 on the placement on the market and sale of building components in contact with drinking water. See also the approval letter of 28-08-2019 on the approval of the above-mentioned building component in contact with drinking water, and any subsequent amendments to the approval letter submitted to the approval holder. Marketing and sale of the building component under this approval include the versions of the building component listed in the Annex and the "on-demand" production specified in the Annex.

CERTIFIKATET ER UDSTEDT AF:

THE CERTIFICATE IS ISSUED BY:

Trafik-, Bygge- og Boligstyrelsen

Danish Transport, Construction
and Housing Authority

Carsten Niebuhrs Gade 43

1577 København V

Mail: GDV@tbst.dk

Web: www.tbst.dk

København, den 28-08-2019

BILAG / ANNEX

GODKENDELSE NR. / APPROVAL NO.:

03/00169

VERSIONER AF BYGGEVAREN OMFATTET AF GODKENDELSEN: VERSIONS OF THE BUILDING COMPONENT COVERED BY THE APPROVAL:

OVERORDNEDE INFORMATIONER OM BYGGEVAREN

GENERAL INFORMATION ABOUT THE BUILDING COMPONENT

BYGGEVAREN:

BUILDING COMPONENT:

GPS Compression 08 77xx xxxK

VERSIONER

VERSIONS

VARETEKST: ITEM TEXT:	DIMENSION: DIMENSION:	VARE- / SERIENUMMER: ITEM / SERIAL NUMBER:
16x2,0 mm Equal Elbow - ALU	ø8mm/DN 16	08 7700 816K
20x2,0 mm Equal Elbow - ALU	ø11mm/DN 20	08 7700 820K
16x2,0 mm Male Elbow 1/2" - ALU	ø8mm/DN 16	08 7701 816K
20x2,0 mm Male Elbow 1/2" - ALU	ø11mm/DN 20	08 7701 820K
20x2,0 mm Male Elbow 3/4" - ALU	ø11mm/DN 20	08 7701 821K
16x2,0 mm Female Elbow 1/2" - ALU	ø8mm/DN 16	08 7703 816K
20x2,0 mm Female Elbow 1/2" - ALU	ø11mm/DN 20	08 7703 820K
20x2,0 mm Female Elbow 3/4" - ALU	ø11mm/DN 20	08 7703 821K
16x1/2" mm Female Tee - ALU" (testversion)	ø8mm/DN 16	08 7712 816K
20x1/2" mm Female Tee - ALU"	ø11mm/DN 20	08 7712 820K
16x2,0 mm Straight Male 3/4" - ALU	ø8mm/DN 16	08 7720 816K
16x2,0 mm Straight Male 1/2" - ALU	ø8mm/DN 16	08 7720 817K
20x2,0 mm Straight Male 1/2" - ALU	ø11mm/DN 20	08 7720 820K

20x2,0 mm Straight Male 3/4" - ALU	ø11mm/DN 20	08 7720 821K
16x2,0 mm Straight Female 1/2" - ALU	ø8mm/DN 16	08 7721 817K
20x2,0 mm Straight Female 1/2" - ALU	ø11mm/DN 20	08 7721 820K
20x2,0 mm Straight Female 3/4" - ALU	ø11mm/DN 20	08 7721 821K
16x2,0 mm Equal Straight Union - ALU	ø8mm/DN 16	08 7723 816K
20x2,0 mm Equal Straight Union - ALU	ø11mm/DN 20	08 7723 820K