

CERTIFIKAT

CERTIFICATE



**GODKENDT
TIL DRILLEKVVAND**

Dette certifikat er udstedt i henhold til bekendtgørelse nr. 1007 af 29. juni 2016 om markedsføring og salg af byggevarer i kontakt med drikkevand. Certifikatet giver godkendelsesindehaveren rettighed til at markedsføre og sælge nedenstående byggevarer i Danmark og til at mærke byggevarer med "Godkendt til drikkevand"-mærkningen.

This certificate is issued according to Executive Order no. 1007 of 29 June 2016 on the placement on the market and sale of building components that come into contact with drinking water. The certificate gives the approval holder the rights to market and sell the following building component in Denmark and to mark the building component with the "Godkendt til drikkevand" marking.

GODKENDELSE NR. / APPROVAL NO.:

01/00022

UDSTEDT / DATE OF ISSUE:

15-06-2024

UDLØBER / EXPIRY DATE:

20-09-2024

GODKENDELSESINDEHAVER / APPROVAL HOLDER:

VAT: 9133102170469862X3
Yuhuan Jianglin Plumbing Hose & Parts Inc.
2 Jindifu Road, Yuhuan Economic Development Zone,
Yuhuan
31 7600 Zhejiang
CN, China

BYGGEVARE / BUILDING COMPONENT:

Justlink Flexible hose



BETINGELSER FOR GODKENDELSE:

De nærmere betingelser og vilkår for godkendelsen er fastsat i bekendtgørelse nr. 1007 af 29. juni 2016 om markedsføring og salg af byggevarer i kontakt med drikkevand. Endvidere henvises til godkendelsesbrev af 25-04-2024 om godkendelse af ovennævnte byggevarer i kontakt med drikkevand og eventuelle senere ændringer til godkendelsesbrevet fremsendt til godkendelsesindehaver.

Markedsføring og salg af byggevarer efter nærværende godkendelse omfatter de versioner af byggevarer, der er opført i bilaget, og den variantproduktion, der er angivet i bilaget.

CONDITIONS OF APPROVAL:

The detailed terms and conditions of approval are laid down in Executive Order no. 1007 of 29 June 2016 on the placement on the market and sale of building components in contact with drinking water. See also the approval letter of 25-04-2025 on the approval of the above-mentioned building component in contact with drinking water, and any subsequent amendments to the approval letter submitted to the approval holder.

Marketing and sale of the building component under this approval include the versions of the building component listed in the Annex and the "on-demand" production specified in the Annex.

CERTIFIKATET ER UDSTEDT AF:

THE CERTIFICATE IS ISSUED BY:

København, den 15-06-2024

Social- og Boligstyrelsen

Danish Authority of Social Services and Housing
Holmens kanal 22,
1060 København K
Mail: GDV@sbst.dk
Web: www.sbst.dk

BILAG / ANNEX

GODKENDELSE NR. / APPROVAL NO.:

01/00022

VERSIONER AF BYGGEVAREN OMFATTET AF GODKENDELSEN: VERSIONS OF THE BUILDING COMPONENT COVERED BY THE APPROVAL:

OVERORDNEDE INFORMATIONER OM BYGGEVAREN

GENERAL INFORMATION ABOUT THE BUILDING COMPONENT

BYGGEVAREN:

BUILDING COMPONENT:

Justlink Flexible hose

VERSIONER

VERSIONS

Item	Dimension Diameter/ DN/ length	Test version	
Hose			
JL PEX Inliner	DN6 max 2000mm	x	PexB PNT 0553/23+5% CT0552/09
	DN8 max 2000mm		
Fittings			
Straight inserter for female nut. DN6, DN8	3/8" 12-65mm		
	1/2" 12-65mm		
	3/4" 12-65mm	x	(DM001)(FL3020034032)
Straight inserter with male thread. DN6, DN8	3/8" 12-65mm		
	1/2" 12-65mm		
	3/4" 12-65mm		
Straight inserter with tube. DN6. DN8	Ø8 12-65mm		
	Ø10 12-65mm		
	Ø12 12-65mm		
Straight inserter with compression fitting. DN6, DN8	Ø8 12-65mm		
	Ø10 12-65mm		
	Ø12 12-65mm		
	Ø15 12-65mm		
Straight inserter with male M8, M10 or M12 thread	M8 12-110mm		
	M10 12-110mm		
	M12 12-110mm		
Elbow inserter for female nut DN6, DN8	3/8" 12-110mm		
	1/2" 12-110mm		
	3/4" 12-110mm	x	(FL304003402101)(FL3040034007)

PRODUKTSPEKTER FOR OMFATTEDE VARIANTPRODUKTER

PRODUCT RANGE FOR "ON-DEMAND" VARIANTS INCLUDED

Hose product range for 'on-demand' production

DN DN	MINDSTE: SMALLEST:	DN6
	STØRSTE: LARGEST:	DN8
LÆNGDE LENGTH	MINDSTE: SMALLEST:	100 mm
	STØRSTE: LARGEST:	2000 mm

PRODUKTSPEKTER FOR OMFATTEDE VARIANTPRODUKTER

PRODUCT RANGE FOR "ON-DEMAND" VARIANTS INCLUDED

Fittings product range for 'on-demand' production

DN DN	MINDSTE: SMALLEST:	DN6
	STØRSTE: LARGEST:	DN8
LÆNGDE LENGTH	MINDSTE: SMALLEST:	12 mm
	STØRSTE: LARGEST:	110 mm